



Temperature range: **+4°C/+10°C**

Refrigerating unit: **External**

Refrigerant/Cooling factor: **R404a / R507 / R448 / R449**

Name	PAROS 1.0-MOD/C	PAROS 1.3-MOD/C	PAROS 1.6-MOD/C	PAROS 1.9-MOD/C	PAROS 2.5-MOD/C
Code	PA100-c	PA101-c	PA102-c	PA103-c	PA104-c
Length [mm]	920	1230	1530	1840	2460
Height [mm]	2020+/10	2020+/10	2020+/10	2020+/10	2020+/10
Depth [mm]	695	695	695	695	695
Capacity [dm <sup>3</sup> ]	580	780	970	1170	1500
Display area [m <sup>2</sup> ]	2	2,6	3,4	4	5,4
Total Display Area (TDA) [m <sup>2</sup> ]-	-	-	-	-	-
Temp. range [°C]	(+3 ± +10°C)	(+3 ± +10°C)	(+3 ± +10°C)	(+3 ± +10°C)	(+3 ± +10°C)
Temp. class	-	-	-	-	-
Climate class	-	-	-	-	-
Energy efficiency class	C	C	C	C	D
Refrigerant	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	73	78	111	146	156

## Standard equipment

powered only by external aggregate

device prepared for multiplexing

dynamic cooling (ventilated)

insulated plastic side walls + glass side panels - different colors available (IGLOO pattern book)

ecological polyurethane foam insulation

base and front panel with coloured sheet - selectable colour (IGLOO colour chart)

top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)

upper interior lighting - fluorescent LED (selectable colour - white, confectionery or meat)

interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)

exposition shelves with height and angle adjustment

price stripes - different colors available (IGLOO pattern book)

bumper - different colors available (IGLOO pattern book)

night roller blind

automatic defrost

electronic temperature controller with digital display (IGLOO)

---

## Options

insulated plastic sides with insulated glass - selectable colour (IGLOO colour chart)

---

front panel color - different colors available (IGLOO pattern book)

---

base and front panel made of white coated steel (contact the Igloo sales department)

---

top full panel made of stainless steel

---

top wooden panel - different colors available (IGLOO pattern book)

---

wooden bumper - different colors available (IGLOO pattern book)

---

custom colors of device interior and exposition shelves

---

device interior and exposition shelves made of stainless steel

---

device interior and exposition shelves made of acid - resistant stainless steel

---

strengthening of full shelves

---

good securing fence

---

internal, upper lighting - LED lamp (color of choice: white, confectionery or meaty "deep pink")

---

top mirrors

---

meat hooks - long

---

powder painted evaporator

---

automatic defrost

---

fixed partition made of PETG (plexiglass)

---

electronic temperature recorder + software

---

temperature recorder wire

---

top outlets of the cooling circuitry

---

