



Temperature range: **+5°C/+15°C**

Refrigerating unit: **External**

Refrigerant/Cooling factor: **R134a / R290**

Name	CUBE 0.6W 3P-MOD/C	CUBE 0.9W 3P-MOD/C	CUBE 1.3W 3P-MOD/C
Code	CU103.3-c	CU102.3-c	CU101.3-c
Length [mm]	610	910	1310
Height [mm]	1380+/-10	1380+/-10	1380+/-10
Depth [mm]	835	835	835
Capacity [dm ³]	360	550	800
Display area [m ²]	1,13	1,74	2,55
Total Display Area (TDA) [m ²]-	-	-	-
Temp. range [°C]	(+5 ± +15°C)	(+5 ± +15°C)	(+5 ± +15°C)
Temp. class	-	-	-
Climate class	-	-	-
Energy efficiency class	D	D	E
Refrigerant	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	58	112	154

Standard equipment

powered only by external aggregate

device prepared for multiplexing

dynamic cooling (ventilated)

external housing made of black coated steel

wooden melamine front panel - different colors available (IGLOO pattern book)

glass side panels or combined glass divider for multiplexable devices

ecological polyurethane foam insulation

internal frame painted silver, gold or black (IGLOO pattern book)

3 pcs of glass exposition shelves with height and angle adjustment placed on the frame

melamine internal bottom shelf - choice of colour (IGLOO pattern)

upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)

automatic defrost

Options

side panels made of colored coated steel - different colors available (IGLOO pattern book)

stainless steel or mirror strip on wooden front panel (60 mm)

wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)

front panel with color-coated sheet - selectable color (IGLOO color guide)

internal frame made of stainless steel for 0.6 model

internal frame made of stainless steel for 0.9 model

internal frame made of stainless steel for 1.3 model

humidity control system

bottom shelf made of stainless steel

electronic temperature recorder + software

temperature recorder wire

small tray (400mm x 340mm)

small tray (400mm x 420mm)

medium tray (400mm x 510mm)

bottom tray (400mm x 520mm)

set of wheels (castors)

rear sliding door made of double-glazed units with Venetian mirror (in CUBE 2 0.6 hinged door with Venetian mirror)

