



Temperature range: **+2°C/+8°C**

Refrigerating unit: **Internal**

Refrigerant/Cooling factor: **R404a / R507 / R448 / R449**

Name	RODOS 1.0	RODOS 1.3	RODOS 1.6	RODOS 1.9	RODOS 2.5
Code	RS100	RS101	RS102	RS103	RS104
Length [mm]	1000	1310	1610	1920	2540
Height [mm]	2020+/10	2020+/10	2020+/10	2020+/10	2020+/10
Depth [mm]	830	830	830	830	830
Capacity [dm <sup>3</sup> ]	500	670	840	1000	1280
Display area [m <sup>2</sup> ]	1,7	2,2	2,8	3,4	4,5
Total Display Area (TDA) [m <sup>2</sup> ]-	-	-	-	-	-
Temp. range [°C]	(+2 ± +8°C)	(+2 ± +8°C)	(+2 ± +8°C)	(+2 ± +8°C)	(+2 ± +8°C)
Temp. class	-	-	-	-	-
Climate class	-	-	-	-	-
Energy efficiency class	D	D	D	D	D
Refrigerant	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R134a / R290	R404a / R507 / R448 / R449
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	1100	1133	1495	1468	1822

## Standard equipment

internal cooling aggregate

device prepared for multiplexing

dynamic cooling (ventilated)

insulated plastic sides with insulated glass - selectable colour (IGLOO colour chart)

ecological polyurethane foam insulation

base and front panel with coloured sheet - selectable colour (IGLOO colour chart)

top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)

upper interior lighting - fluorescent LED (selectable colour - white, confectionery or meat)

interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)

exposition shelves with height and angle adjustment

price stripes - different colors available (IGLOO pattern book)

bumper - different colors available (IGLOO pattern book)

night roller blind

automatic defrost

electronic temperature controller with digital display (IGLOO)

condenser impurity or fan operation failure alarm

## Options

device without side panels prepared for multiplexing (MOD/A)

insulated plastic side walls + glass side panels - different colors available (IGLOO pattern book)

side panels made of double combined tempered glass or double combined mirror

insulated side panels made of white coated steel - selectable colour (IGLOO pattern book)

customizable colour of side panels made of coated steel (contact the Igloo sales department)

insulated side panels made of stainless steel

custom front panel color (after consultation with the IGLOO Sales Department)

base panel made of stainless steel

custom front panel color (after consultation with the IGLOO Sales Department)

front panel color - different colors available (IGLOO pattern book)

base and front panel made of white coated steel (contact the Igloo sales department)

top full panel made of stainless steel

top wooden panel - different colors available (IGLOO pattern book)

wooden bumper - different colors available (IGLOO pattern book)

custom colors of device interior and exposition shelves

device interior and exposition shelves made of stainless steel

device interior and exposition shelves made of acid - resistant stainless steel

strengthening of full shelves

good securing fence

internal, upper lighting - LED lamp (color of choice: white, confectionery or meaty "deep pink")

top mirrors

meat hooks - long

powder painted evaporator

automatic defrost

automatic condenser vaporization (electric evaporator)

fixed partition made of PETG (plexiglass)

electronic temperature recorder + software

temperature recorder wire

# RODOS

