



Temperature range: **+4°C/+10°C**

Refrigerating unit: **Internal**

Refrigerant/Cooling factor: **R290**

Specifications	PASTELLA SWEET 0.6W	PASTELLA SWEET 0.9W	PASTELLA SWEET 1.3W
CODE	PSTS60W	PSTS90W	PSTS130W
Capacity [dm ³]	215	395	582
The area of shelves [m ²]	0.9	1.2	1.8
Length [mm]	660	960	1360
Depth [mm]	850	850	850
Height [mm]	1200+/-10	1200+/-10	1200+/-10
Refrigerant	R290	R290	R290
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz

Standard equipment

internal cooling aggregate R290

openable front glass with bending radius R20

dynamic cooling with automatic defrost

external housing made of coated steel sheet in a colour from the (IGLOO pattern book)

side panels made of melamine plate - different colors available (IGLOO pattern book)

wooden melamine front panel - different colors available (IGLOO pattern book)

ecological polyurethane foam insulation

3 pcs of glass exposition shelves with height and angle adjustment placed on the frame

internal frame painted - different colors available (IGLOO pattern book)

bottom shelf made of painted steel - different colors available (IGLOO pattern book)

upper interior lighting + backlight of each shelf LED

automatic condenser vaporization

electronic temperature controller with digital display (IGLOO)

condenser impurity or fan operation failure alarm

Options

device prepared for multiplexing (mod/A)

bottom shelf made of stainless steel

bottom shelf made of stainless steel

wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)

wooden sides panel made of veneer or TREND - different colors available (IGLOO pattern book)

electronic temperature recorder + software

temperature recorder wire

set of wheels (castors)

humidity control system

