



Temperature range: **+1°C/+10°C**

Refrigerating unit:

Refrigerant/Cooling factor: **R134a / R290**

Name	JOLA 700.1 AG
Code	JO100.1/AG
Length [mm]	820
Height [mm]	2035 +/10
Depth [mm]	740
Capacity [dm ³]	700
Display area [m ²]	2,2
Total Display Area (TDA) [m ²]	-
Temp. range [°C]	(+1 ± +10°C)
Temp. class	-
Climate class	-
Energy efficiency class	C
Refrigerant	R290 / R134a
Rated voltage [V]	230/50Hz
Rated power [W]	406

Standard equipment

internal cooling aggregate placed on the top

dynamic cooling (ventilated)

external housing made of coated steel - different colors available (Igloo pattern book)

interior made of white coated steel

hinged doors with combined glass – choice of door opening direction

ecological polyurethane foam insulation

5 pcs of plastified reticulated shelves, with height adjustment + lower base shelf

price stripes - different colors available (IGLOO pattern book)

top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)

automatic defrost

condenser outlet to container

single vertical interior lighting - LED light

electronic temperature controller with digital display (IGLOO)

condenser impurity or fan operation failure alarm

Options

external housing color – different colors available (IGLOO pattern book)

external housing made of stainless steel

interior made of stainless steel

horizontally divided doors

hinged doors self – closer

door lock with key

fan stopping switch

plastified strengthened shelves

chrome reticulated shelves

chrome strengthened reticulated shelves

additional plastified reticulated shelf + handle set

additional plastified reticulated strengthened shelf + handle set

additional chrome reticulated shelf + handle set

additional chrome reticulated strengthened shelf + handle set

internal top and side illumination – LED lights

internal frame with 9 stainless steel drawers (excludes the interior lighting)

automatic condenser vaporization

device with temperature range from -6 °C to 0 °C

electronic temperature recorder + software

temperature recorder wire

SMS alarm module + temperature recorder with emergency power supply

USB-MGSM TTL wire for SMS module programming

