



Temperature range: **+2°C/+8°C**

Refrigerating unit: **Internal**

Refrigerant/Cooling factor: **R134a**

Specifications	IBIZA OPEN 1.0
CODE	IB100/OP
Length [mm]	1000
Capacity [dm <sup>3</sup> ]	140
The area of shelves [m <sup>2</sup> ]	0,42
Depth [mm]	1000
Height [mm]	1000+/-10
Refrigerant/Cooling factor	R134a
Evaporating temperature [°C]	-10
Cooling power demand [W/mb]	250
Rated voltage [V]	230/50Hz
Rated power of lighting [W]	14,4
Rated power [W]	338,4
Cooling power [W]	411

## Standard equipment

internal cooling aggregate

dynamic cooling (ventilated)

external housing made of coated steel - different colors available (Igloo pattern book)

nadstawka - OPEN - z szybami prostymi

exposition shelf ,with height adjustment, made of white coated steel

interior made of white coated steel

ecological polyurethane foam insulation

device leveling legs

automatic defrost

automatic condenser vaporization

electronic temperature controller with digital display (IGLOO)

condenser impurity or fan operation failure alarm

## Options

external housing color - different colors available (IGLOO pattern book)

external housing made of stainless steel

external housing made of acid resistant stainless steel

worktop - stainless steel

internal housing made of stainless steel

internal housing made of acid resistant stainless steel

additional exposition glass shelf

set of wheels (castors)

top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)

LED light (meat color)

LED light (confectionary color)

electronic temperature recorder + software

temperature recorder wire

gastronomic container GN 1/4 - depth 65 mm

gastronomic container GN 1/4 - depth 150 mm

additional crossbar for GN container

### IBIZA OPEN 1.0



