



Plage de température: **+2°C/+8°C**

Groupe frigorifique: **Logé**

Agent frigorigène: **R290**

Nom	GASTROLINE PREMIUM 0.8	GASTROLINE PREMIUM 1.0	GASTROLINE PREMIUM 1.2	GASTROLINE PREMIUM 1.5	GASTROLINE PREMIUM 2.0
Code	GLP100	GLP110	GLP120	GLP130	GLP140
Longueur [mm]	840	1040	1240	1540	2040
Hauteur [mm]	1300 ± 10	1300 ± 10	1300 ± 10	1300 ± 10	1300 ± 10
Profondeur [mm]	880	880	880	880	880
Capacité [dm ³]	195	245	290	365	485
Display area [m ²]	0,4	0,5	0,7	0,8	1,0
Surface d'exposition (TDA) [m ²]	-	-	-	-	-
Plage de température [°C]	+2 ÷ +8	+2 ÷ +8	+2 ÷ +8	+2 ÷ +8	+2 ÷ +8
Classe de température	3H1	3H1	3H1	3H1	3H1
Classe climatique	3 (25°C ; 60% RH)	3 (25°C ; 60% RH)	3 (25°C ; 60% RH)	3 (25°C ; 60% RH)	3 (25°C ; 60% RH)
Classe d'efficacité énergétique	-	-	-	-	-
Agent frigorigène	R290	R290	R290	R290	R290
Température d'évaporation To [°C]	-10	-10	-10	-10	-10
Demande de puissance [W/mc]	-	-	-	-	-
Alimentation [V]	230/50Hz	230/50Hz	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	667	687,5	691,5	861,5	987
Consommation d`energie [kWh/24h]	3,9	4,1	4,2	5,9	7,1

Standard

agrégat interne

froid ventilé

automatic off-cycle defrosting

automatic evaporation of condensate

electronic temperature controller with digital display

IGLOO / CAREL

INOX display area

PES coated storage area

RAL9010

LED lighting

IGLOO pattern book

Ventilateurs CA

powder coated external housing

IGLOO pattern book

granite worktop

grey

glass top with straight front glass

structure portante pour les bacs GN

porte arrière battante

INOX base plinth

isolation en mousse de polyuréthane injectée

alarme sonore qui signale la contamination du condenseur

Options

powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)

INOX external housing

INOX AISI304 external housing

front panel made of MELAMINE - custom decors - (after consultation with the IGLOO Sales Department)

sides made of MELAMINE - custom decors - (after consultation with the IGLOO Sales Department)

front panel made of VENEER or TREND - different decors available (IGLOO pattern book)

sides made of VENEER or TREND - different decors available (IGLOO pattern book)

granite worktop balmoral

granite worktop black

INOX storage area

INOX AISI304 storage area

fermeture en plexiglas

étagère supplémentaire vitrée

customer front shelf (INOX AISI304 profile)

customer front folding shelf (INOX AISI304 profile)

évaporateur laqué

kit roulettes

LED lighting of base plinth

bac GN 1/1 - profondeur 150 mm

bac GN 2/4 - profondeur 150 mm

barre supplémentaire pour bac GN

