



Temperature range: **+5°C/+15°C**

Refrigerating unit: **Internal**

Refrigerant/Cooling factor: **R134a / R290**

Specifications	CUBE 0.6W 3P	CUBE 0.9W 3P	CUBE 1.3W 3P
CODE	CU103.3	CU102.3	CU101.3
Length [mm]	610	910	1310
Capacity [dm3]	362	546	791
Cooling area of shelves [m2]	1,08	1,65	2,4
Depth [mm]	835	835	835
Side panel thickness [mm]	40	40	40
Height [mm]	1380+/-10	1380+/-10	1380+/-10
Refrigerant	R134a R290	R134a R290	R134a R290
Evaporating temperature [°C]	-10	-10	-10
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz
Rated power of lighting [W]	36	68	88
Rated power [W]	438	807	974
Cooling power [W]	686	1026	1151
Electricity consumption [kWh/24h]	5,6	7,7	11,4

## Standard equipment

internal cooling aggregate

device prepared for multiplexing

dynamic cooling (ventilated)

external housing made of black coated steel

side panels made of black coated steel

wooden melamine front panel - different colors available (IGLOO pattern book)

glass side panels or combined glass divider for multiplexable devices

ecological polyurethane foam insulation

internal frame painted silver or gold (IGLOO pattern book)

back sliding doors with combined glass (CUBE 0.6 - hinged doors with choice of door opening direction)

3 pcs of glass exposition shelves with height and angle adjustment placed on the frame

wooden bottom internal melamine shelf - different colors available (IGLOO pattern book)

openable front glass with bending radius R20

upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)

---

automatic defrost

---

automatic condenser vaporization

---

electronic temperature controller with digital display

---

condenser impurity or fan operation failure alarm

---

## Options

device without side panels prepared for multiplexing (MOD/A)

---

side panels made of colored coated steel - different colors available (IGLOO pattern book)

---

stainless steel or mirror strip on wooden front panel (60 mm)

---

wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)

---

front panel with color-coated sheet - selectable color (IGLOO color guide)

---

internal back of device made of stainless steel

---

internal frame made of stainless steel for 0.6 model

---

internal frame made of stainless steel for 0.9 model

---

internal frame made of stainless steel for 1.3 model

---

bottom shelf made of stainless steel

---

electronic temperature recorder + software

---

recorder cable

---

small tray (400mm x 340mm)

---

small tray (400mm x 420mm)

---

medium tray (400mm x 510mm)

---

bottom tray (400mm x 520mm)

---

set of wheels (castors)

---

